

## SEGHE CIRCOLARI TCT SILENZIATE PER IL TAGLIO DI MATERIALI NON FERROSI LOW NOISE TCT CIRCULAR SAW BLADES FOR NON-FERROUS MATERIALS KREISSÄGEBLÄTTER ZUM SCHNEIDEN VON NE-METALLEN



Low noise

SILENZIATE / LOW NOISE / GERÄUSCHARM:

Lama con intagli riempiti con materiale fonoassorbente

Sawblade with low noise slots filled with sound-absorbing resin

Geräuschreduzierte Sägeblätter mit Kunstharz-Inlays

Disponibili anche con rivestimento PVD

Available also with PVD coating

Auch erhältlich mit PVD-Beschichtung



### TCT-ALU

ANGOLO NEGATIVO

NEGATIVE ANGLE

NEGATIVER SPANWINKEL

- ▶ Adatte per il taglio di profilati in alluminio e/o materiali non ferrosi.
- ▶ Suitable for cutting aluminium and non-ferrous profiles.
- ▶ Geeignet für Alu-Profilen und NE-Metalle.



Ø [mm]	Spessore / Thickness / Stärke		Foro centrale Central bore Bohrung [mm]	PH	Z	TYPE	LEGEND	FUTUREX [PVD]
	Dente Tooth Zahn [mm]	Corpo Body Stammblatt [mm]						
250	3,40	2,60	30/32	2/11/63	60	TCG	1T05N250060	1T05R250060
	3,40	2,60	30/32	2/11/63	80	TCG	1T05N250080	1T05R250080
300	3,40	2,60	30/32	2/11/63	72	TCG	1T05N300072	1T05R300072
	3,40	2,60	30/32	2/11/63	96	TCG	1T05N300096	1T05R300096
350	3,40	2,60	30/32	2/11/63	84	TCG	1T05N350084	1T05R350084
	3,40	2,60	30/32	2/11/63	108	TCG	1T05N350108	1T05R350108
400	4,00	3,20	30/32	2/11/63	96	TCG	1T05N400096	1T05R400096
	4,00	3,20	30/32	2/11/63	108	TCG	1T05N400108	1T05R400108
	4,00	3,20	30/32	2/11/63	120	TCG	1T05N400120	1T05R400120
450	4,00	3,20	30/32	2/11/63	108	TCG	1T05N450108	1T05R450108
	4,00	3,20	30/32	2/11/63	128	TCG	1T05N450128	1T05R450128
500	4,60	3,60	30/32	2/11/63	120	TCG	1T05N500120	1T05R500120
	4,60	3,60	30/32	2/11/63	140	TCG	1T05N500140	1T05R500140
550	4,60	3,60	30/32	2/11/63	140	TCG	1T05N550140	1T05R550140
	4,60	3,60	30/32	2/11/63	172	TCG	1T05N550172	1T05R550172

Caratteristiche tecniche / Technical features / Technische Merkmale

Angoli / Angles / Winkel: -5° / 15°

Altezza placchetta / Tip dimension / Bestückungshöhe: 8 mm

Metallo duro / Carbide Grade / Hartmetall: K10



### TCT-ALU

ANGOLO POSITIVO

POSITIVE ANGLE

POSITIVER SPANWINKEL

- ▶ Indicate per il taglio di sezioni piene in alluminio e/o altri materiali non ferrosi.
- ▶ Suitable for cutting full sections in aluminium or non-ferrous solid materials.
- ▶ Geeignet für NE-Metalle, Vollmaterial.



Ø [mm]	Spessore / Thickness / Stärke		Foro centrale Central bore Bohrung [mm]	PH	Z	TYPE	LEGEND	FUTUREX [PVD]
	Dente Tooth Zahn [mm]	Corpo Body Stammblatt [mm]						
250	3,40	2,60	30/32	2/11/63	60	TCG	1T06N250060	1T06R250060
	3,40	2,60	30/32	2/11/63	80	TCG	1T06N250080	1T06R250080
300	3,40	2,60	30/32	2/11/63	72	TCG	1T06N300072	1T06R300072
	3,40	2,60	30/32	2/11/63	96	TCG	1T06N300096	1T06R300096
350	3,40	2,60	30/32	2/11/63	84	TCG	1T06N350084	1T06R350084
	3,40	2,60	30/32	2/11/63	108	TCG	1T06N350108	1T06R350108
400	4,00	3,20	30/32	2/11/63	96	TCG	1T06N400096	1T06R400096
	4,00	3,20	30/32	2/11/63	108	TCG	1T06N400108	1T06R400108
	4,00	3,20	30/32	2/11/63	120	TCG	1T06N400120	1T06R400120
450	4,00	3,20	30/32	2/11/63	108	TCG	1T06N450108	1T06R450108
	4,00	3,20	30/32	2/11/63	128	TCG	1T06N450128	1T06R450128
500	4,60	3,60	30/32	2/11/63	120	TCG	1T06N500120	1T06R500120
	4,60	3,60	30/32	2/11/63	140	TCG	1T06N500140	1T06R500140
550	4,60	3,60	30/32	2/11/63	120	TCG	1T06N550120	1T06R550120
	4,60	3,60	30/32	2/11/63	140	TCG	1T06N550140	1T06R550140

Caratteristiche tecniche / Technical features / Technische Merkmale

Angoli / Angles / Winkel: 5° / 12°

Altezza placchetta / Tip dimension / Bestückungshöhe: 8 mm

Metallo duro / Carbide Grade / Hartmetall: K10